
# European Risk from Geomagnetically Induced Currents (EURISGIC)

A. Viljanen<sup>1</sup>, R. Pirjola<sup>1</sup>, A. Pulkkinen<sup>2</sup>, Ya. Sakharov<sup>3</sup>, A. Thomson<sup>4</sup>, V. Wesztergom<sup>5</sup>, M. Wik<sup>6</sup>, P. Wintoft<sup>7</sup>

- <sup>1</sup> Finnish Meteorological Institute (FI)
- <sup>2</sup> CUA/IACS at NASA/GSFC (US)
- <sup>3</sup> Polar Geophysical Institute (RU)
- <sup>4</sup> British Geological Survey (UK)
- <sup>5</sup> Geodetic and Geophysical Research Institute (HU)
- <sup>6</sup> NeuroSpace (SE)
- <sup>7</sup> Swedish Institute of Space Physics (SE)

#### Objectives - 1


The first European prototype forecast tool based on in-situ solar wind observations and on magnetosphere-ionosphere simulations to produce real-time GIC warnings for the European high-voltage power grid.



(More details: presentation of the Solar Shield on Friday 19 Nov.)


## Objectives - 2

European-wide *risk map* giving the statistical probability of large GIC values and providing *worst-case scenarios*.



Expansion from national to continental level.


ESWW7, 15 Nov 2009



ESWW7, 15 Nov 2009

## Benefits

We hope to avoid this in future:



Halloween GIC blackout in Malmö on 30 October 2003.

ESWW7, 15 Nov 2009

#### Finally, we will learn much more about geospace:

